

L Number	Hits	Search Text	DB	Time stamp
-	11309	((709/201) or (709/203) or (709/217) or (709/218) or (709/219) or (709/227) or (709/229) or (709/232) or (709/319)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:58
-	205	((((709/201) or (709/203) or (709/217) or (709/218) or (709/219) or (709/227) or (709/229) or (709/232) or (709/319)).CCLS.) and (arra\$2 with (messag\$2 or resul\$2 or outcom\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:05
-	123	(((((709/201) or (709/203) or (709/217) or (709/218) or (709/219) or (709/227) or (709/229) or (709/232) or (709/319)).CCLS.) and (arra\$2 with (messag\$2 or resul\$2 or outcom\$2))) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:42
-	120	(((((709/201) or (709/203) or (709/217) or (709/218) or (709/219) or (709/227) or (709/229) or (709/232) or (709/319)).CCLS.) and (arra\$2 with (messag\$2 or resul\$2 or outcom\$2))) and @ad<20001215) and (remote near "4" (proces\$4 or execut\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:08
-	120	((((((709/201) or (709/203) or (709/217) or (709/218) or (709/219) or (709/227) or (709/229) or (709/232) or (709/319)).CCLS.) and (arra\$2 with (messag\$2 or resul\$2 or outcom\$2))) and @ad<20001215) and (remote near "4" (proces\$4 or execut\$3))) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 10:29
-	52	((((((709/201) or (709/203) or (709/217) or (709/218) or (709/219) or (709/227) or (709/229) or (709/232) or (709/319)).CCLS.) and (arra\$2 with (messag\$2 or resul\$2 or outcom\$2))) and @ad<20001215) and (remote near "4" (proces\$4 or execut\$3))) and @ad<20001215 and (transla\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:52
-	785845	((remote near "2" (proces\$4 or execut\$3)) same (multiple or second)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:55
-	853023	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:06
-	1295	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215) and (array with messag\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:59
-	184	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215) and ((array with messag\$2) same (id or identifie\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:10
-	143	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215) and ((array with messag\$2) same (id or identifie\$2))) and networ\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:09
-	0	09085755.an.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:12
-	2	09085755.rlan.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:12

-	17	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and metacomput\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:53
-	1271	(709/201).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:22
-	1054	((709/201).CCLS.) and (distribu\$4 or (data adj processing) with syste\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:09
-	201	((709/201).CCLS.) and (distribu\$4 or (data adj processing) with syste\$2)) and (resul\$2 with messag\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:42
-	152	((709/201).CCLS.) and (distribu\$4 or (data adj processing) with syste\$2)) and (resul\$2 with messag\$2)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:43

-	194	("5347632" "6119079" "5594910" "5758072" "6182123" "6430275" "5937057" "5802296" "6421680" "6272126" "5630131" "5664206" "5806071" "5917484" "6073090" "6125446" "6185729" "6229533" "6252589" "6353385" "6469713" "6476830" "6111572" "6141005" "5450569" "5829001" "5950211" "5999616" "6243458" "4574284" "5758259" "6628304" "5377191" "5572528" "5682479" "5706516" "5809286" "5867689" "4430700" "4604693" "4630196" "5191650" "5323385" "5371852" "5485608" "5524205" "5590366" "5796955" "5905904" "6032258").pn. ("6072942" "6092196" "6192130" "6330250" "6343119" "6438707" "6098078" "5845265" "6266651" "4805168" "4905229" "5359320" "5361063" "5485147" "5546540" "6078930" "4777595" "5276871" "5734833" "5748617" "5838923" "5995981" "6236722" "4276643" "4188060" "4525779"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:47
Search History 12/29/03 10:26:42 AM Page 3 C:\APPS\EAST\Workspaces\m-12-8-03.wsp				

-	7	((709/201).CCLS.) and (distribu\$4 or (data adj processing) with syste\$2) and (locale or locales)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:10
-	1	((709/201).CCLS.) and (distribu\$4 or (data adj processing) with syste\$2) and (locale or locales)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:10
-	1564	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:34
-	655	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:36
-	986	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:37
-	474	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:09
-	205	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2 and array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:42
-	142	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2 and array) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:43
-	73	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2 and (slave or slaves)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:09
-	2300453	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:13
-	290	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215 and log and locale	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:00
-	134683	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215 and log and locale) and message or messages	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:12
-	203	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215 and log and locale) and (message or messages)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:00
-	380	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215 and log and (locale or locales)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:16

-	263	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215) and log and (locale or locales)) and (message or messages)) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:16
-	204	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215) and log and (locale or locales)) and (message or messages)) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:17
-	380	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and log and (locale or locales)) and (message or messages)) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:16
-	263	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and log and (locale or locales)) and (message or messages)) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:17
-	204	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and log and (locale or locales)) and (message or messages)) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:20
-	6512	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and log and (event or events)) and (message or messages)) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:20
-	1471	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with (event or events))) and (message or messages)) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:04
-	1274	(709/201).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:23
-	917	((709/201).CCLS.) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:23
-	34	((((709/201).CCLS.) and @ad<20001215) and (log with (event or events)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:41
-	2	("6144797").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:42
-	2	("6304967").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:43
-	2	("6388687").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:53

-	2	("6205482").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:55
-	2	("6253369").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:55
-	0	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with (event or events)))) same (message or messages) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:05
-	489	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) and @ad<20001215) and (log with (event or events) same (message or messages)))) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:07
-	53	(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) and @ad<20001215) and (log with (event or events) same (message or messages) same (id or identifier)))) and networ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:36
-	313	((message or messages) same (log or event or (event with log)) same (id or identifier) same (result or output)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:40
-	13	((message or messages) same (log or event or (event with log)) same (id or identifier) same (result or output) same array) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:51
-	71	((message or messages) same (log or event or (event with log)) same (id or identifier) same (result or output)) and @ad<20001215) and (data adj processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:53
-	2300596	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 09:22
-	1506	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with management)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 09:48
-	25	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with management)) and (log near4 distributed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 09:49
-	19886817	(log with management) @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 09:48
-	243	((log with management) @ad<20001215) and (log near3 distributed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 10:34
-	2	((log with management) @ad<20001215) and (log near3 distributed)) and (locale or locales)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:05

-	64	((log with management) @ad<20001215) and (log near3 distributed)) and (message or messages)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 10:35
-	4628	((log with management) @ad<20001215) and (locale or locales)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 10:59
-	1421	((log with management) @ad<20001215) and (locale or locales)) and distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 10:59
-	492	((log with management) @ad<20001215) and (locale or locales)) and distribution) and (message or messages)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:00
-	0	((log with management) @ad<20001215) and (locale or locales)) and distribution) and (message or messages)) and log.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:00
-	2	((log with management) @ad<20001215) and (locale or locales)) and distribution) and (message or messages)) and log.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:01
-	10	((log with management) @ad<20001215) and (locale or locales)) and distribution) and (message or messages)) and log.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:01
-	6	((log with management) @ad<20001215) and (log near3 distributed)) and (locale or locales or demographic or demographics or "native language" or "native languages")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:27
-	142	((result or results or output or outputs) near2 (message or messages)) same (message adj (id or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:31
-	15	((result or results or output or outputs) near2 (message or messages)) same (message adj (id or identifier))) and @ad<20001215) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 11:31
-	95	((result or results or output or outputs) near2 (message or messages)) same (message adj (id or identifier))) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:07
-	2030	(result or results) near2 log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 16:07
-	546	((result or results) near2 log) and (message or messages)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 16:08
-	413	((result or results) near2 log) and (message or messages)) and (network or networks)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 16:08

-	219	((result or results) near2 log) and (message or messages)) and (network or networks) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 16:09
-	11	((((result or results) near2 log) and (message or messages)) and (network or networks) and @ad<20001215) and log.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 16:09